

OPTI-MYST®

Electric Fireplaces



C Dimplex

Features



Flame

Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.



Remote

Includes a convenient remote control for ease of use at your fingertips.



Economical*

Economical to operate. Costing only pennies per hour.



Green

The green alternative. No harmful particulates or emissions and 100% efficient. Produces 90% less carbon dioxide than an average direct vent gas fireplace.



Instant Ambiance

Plugs into any standard household outlet.



Quick Assembly

Sets up in minutes with step-by-step assembly instructions allowing you more time to enjoy your fireplace.



Easy Fill Water Tank

Offers 12-14 hours of continuous operation before refilling.



Safe

Completely safe, cool flames, no emissions.



Wall-mounts

A new level of realism you have to see to believe.

The revolutionary Opti-myst products utilize ultrasonic technology to produce the most compelling flame and smoke effect in the market. As mist rises up through the media bed, light reflects against the water molecules creating a convincing illusion of flames and smoke. Because the Opti-myst fireplace does not use combustion and because the flame is really just cool water vapor, it is completely harmless and free of toxic fumes.

The ideal alternative for gas or wood, Opti-myst offers incredible realism without the mess or costly installation of traditional fireplaces. Simply plug in, and enjoy!

Wall-mount Fireplaces

Use in any space large or small, including bedrooms, bathrooms, foyers and more.

Plug-in Cassettes

For custom applications.

Media Console and Mantels

Exquisitely designed with premium grade finishes and patented flame technology.

Versatile Insert

For any unused masonry opening or faux fireplace.





Burbank

BBK20 | Black and Grey Finish 371/4" W x 27 1/4" H x 7 1/4" D

Supplemental Heat



Redway

RDY20 | Black and Grey Finish 30" W x 27 1/4" H x 7 1/4" D

Supplemental Heat



Opti-myst® Cassette



DFI600L | 120V plug-in cassette 22 1 /4" W x 11" H x 8 1 /2" D

Pulsating Embers



DFI400L | 120V plug-in cassette 16" W x 10³/₄" H x 8¹/₂" D

Pulsating Embers



DFI400R | 120V plug-in cassette 16" W x 81/2" H x 81/2" D

Media Console and Mantels



Debenham

GDSOPR-1380CH | Rocks GDSOPL-1380CH | Logs Burnished Walnut Finish 601/4" W x 321/2" H x 171/2" D

Supplemental Heat
Ember Bed Options





Shown with metal backing

Amsden

GDSOP-1382CN | Rocks Black and Cinnamon Finish 56½" W x 40½" H x 18½" D

Supplemental HeatOptional Metal Backing

Opti-myst® Insert





Thompson

GDS29-1262BW | Burnished Walnut Finish Featuring polished black hearth surround and herring bone brick liner 60" W x 461/2" H x 221/4" D * No heater included

Maria Inner Glow Logs

Glowing Ashes
Metal Log Grate

Specialty Features



Supplemental Heat

Includes a powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable.



Pulsating Embers

Glowing embers illuminate from below creating the true look and feel of a woodburning fire.



Inner Glow Logs

Pulsating embers glow from within the realistic, hand crafted logs.



Glowing Ashes

A natural arrangement of glowing ashes creates an authentic feel.



Metal Log Grate

Traditional metal log grate enhances the fireplace look while cradling the handcrafted logs.



Optional Metal Backing

Metal backer inserts into fireplace for dramatic presentation of flame effect.



Ember Bed Options

Choose from logs molded from actual wood for incredible realism or natural-looking rocks for a contemporary look.

Opti-myst® Electric Fireplaces

	BBK20	RDY20	TAH20	DLGM29	DFI600L	DFI400L	DFI400R	GDSOPL- 1380CH	GDSOPR- 1380CH	GDSOP- 1382CN	GDS29- 1262BW
Product Width	371/4"	30"	35 ¹ /2"	27"	22 ¹ /4"	16"	16"	60 ¹ /4"	60 ¹ /4"	561/2"	60"
Ember bed	Rocks	Rocks	Rocks	Logs	Logs	Logs	Rocks	Logs	Rocks	Rocks	Logs
Finish/Colour	Black & grey	Black & grey	Black	Black	Black	Black	Black	Chestnut	Chestnut	Black & cinnamon	Burnished walnut
Built-in Heater	•	•	•					•	•	•	
Flame operates with or without heat	•	•	•					•	•	•	
Volts	120	120	120	120	120	120	120	120	120	120	120
Wattage	1,400	1,400	1,400	n/a	200	200	200	1,200	1,200	1,200	n/a
BTUs	4,777	4,777	4,777	n/a	682	682	682	4,095	4,095	4,095	n/a
Amps	11.67	11.67	11.67	2.7	1.67	1.67	1.67	10.0	10.0	10.0	2.7
Remote control included	•	•	•	•	•	•	•	•	•	•	•
Limited Warranty	1-year	1-year	1-year	1-year	1-year	1-year	1-year	1-year	1-year	1-year	1-year

Your authorized Dimplex dealer:

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Protected by one or more of the following patents: U.S. Patents: 7,967,690, 8,136,276, 8,361,367, 8,413,358. Other patents pending. © 2013 Dimplex North America Limited.

Connect with us online:











Better solutions through innovation