

## PORTRAIT SERIES FROM **Valor**

**Past, present and future** - the Valor Portrait Series offers an extensive range of distinctive looks to complement almost any period style from traditional to contemporary.

And while the many Portrait faces present a diverse variety of design characteristics, they all share the same DNA when it comes to performance. Powered by our time proven and compact fit-anywhere 530 engine, you'll benefit from the highest heating efficiencies and latest energy saving features whatever look you choose.

Make your fireplace setting a favorite gathering place for family and friends to enjoy in comfort for future years to come.

Make it a Valor.



**FIREPLACE SAFETY**

### USE RADIANT HEAT SAFELY

Fireplace surfaces, in particular the glass viewing window, are extremely hot during operation and will remain hot for a period of time after the fireplace is turned off. Contact with the hot glass can cause severe burns. Close adult supervision is required if there are young children, or at-risk individuals in the house. Included with your purchase, a Valor Barrier Screen is recommended at all times. Install an approved aftermarket safety gate to keep toddlers, young children and at-risk individuals a safe distance from the fireplace. For more information please visit [www.valorfireplaces.com/safety](http://www.valorfireplaces.com/safety).

# Valor PORTRAIT SERIES™




## PORTRAIT FIREPLACE COMPONENTS

ENGINES	FRONTS	PRESTYLE / LEDGE FRONTS	ACCESSORIES
530ILN	Portrait Log Effect Engine Direct Vent NG	*569LFP	Ledge Front - Patina (30" h X 27-3/8" w)
530ILP	Portrait Log Effect Engine Direct Vent LPG	*569LFN	Ledge Front - Brushed Nickel (30" h X 27-3/8" w)
530ICN	Portrait Coal Effect Engine Direct Vent NG	*569LFB	Ledge Front - Black (30" h X 27-3/8" w)
530ICP	Portrait Coal Effect Engine Direct Vent LPG	*570FPB	Ledge Finishing Plate - Black (36-1/2" h X 31-1/8" w) - Optional
530IRN	Portrait Rock Effect Engine Direct Vent NG	<i>*Please see complete Portrait Series Ledge Front brochure for more information</i>	
530IRP	Portrait Rock Effect Engine Direct Vent LPG	SFFK01	Freestyle Zero Clearance Framing Kit - Black
531CSB	Freestanding President Stove	SF14BL	Cast Frame Kit - Black (front that mounts to framing kit - must choose fret separately)
536CXB	President Zero Clearance Cast Front	SFRET1	StoneFire Classic Style Fender Fret
539AFB	Windsor Arch (all black) with Cast Iron Plate - (for ZC applications)	SFRET2	StoneFire Traditional Style Fender Fret
539AFP	Windsor Arch with Chrome Highlights & Cast Iron Plate - (for ZC applications)	SFRET3	StoneFire Alhambra Style Fender Fret
541BPC	Bolero Zero Clearance Polished Cast Iron Front	SFFT01	Freestyle 4-Sided Trim Kit - Nickel Paint
549AFB	Windsor Arch (all black) - w/out cast iron plate (insert application only)	555CFK	Circulating Fan Kit - variable speed, thermally activated
549AFP	Windsor Arch with Chrome Highlights - w/out cast iron plate (insert application only)	556CLA	Co-linear Adapter (converts co-axial vent to 2-3" vent liners - insert application)
550CPA	Classic Arch with Cast Iron Plate - Chrome Highlights	559CLT	Co-linear Terminal - chimney liner termination cap (for use with 556CLA)
563SCB	Senator Zero Clearance Cast Front - Black	559SFK	Square Flashing Kit for 559CLT (for masonry applications)
		580EBL	Enamel Black Liner
		567FGP	Firebox Grille Panel - Roof Panel (530ILN/P or 530IRN/P only)
		580EBL	Enamel Black Liner
		720SWK	Co-Linear Side Wall Kit - for use with solid fuel masonry chimneys
		817VAK	Vent Adapter Kit - Black, Simpson Dura-Vent
		845TG	Terminal Guard (required item in certain app. see install manual)
		1265WSK	Wall Switch Kit
		GV60BRK	1-Hour Shut Down Handset
		GV60NTK	Non-Thermostat Handset

All product information is accurate at time of printing and is subject to change. Note: Printed images may vary from actual product.

## REVERSIBLE INTERIOR BRICK LINERS

Traditional Red Brick



Black Fluted Brick



## FIRE BED OPTIONS

Traditional Log Set




Black Coal



Rock Effect




## PORTRAIT FRONT DIMENSIONS




## MINIMUM FRAMING DIMENSIONS

Model	(H)eight	(W)idth	(D)epth
President ZC 536	31-1/2"	26-1/2"	11"
Windsor/Classic Arch 539/550	37"	26-1/2"	13"
Bolero 541	31-1/2"	26-1/2"	12"
Freestyle SFFK01	34-1/2"	26-1/2"	12-14"*
Senator 563*	38"	26-1/2"	11"

\* Minimum 7-1/2" of non-combustible material for wall finish above unit. Dimensions dependant on desired wall finish - ask your local Valor dealer. Dimensions listed above are specifically for rear vent applications. See product manual for complete framing requirements before construction.



## DIRECT VENT OPTIONS



## MODEL/FUEL


Model	Fuel	Max. Input BTU/hr	Min. Input BTU/hr	Fuel Bed Options	Fan Option	EnerGuide Rating**	Max. Output** (w/out fan) BTU/hr
530ILN 530ICN 530IRN	NG	20,500	6,500	Log Set Coal Set Rock Set	Yes	69%	15,250
530ILP 530ICP 530IRP	LPG	19,000	12,500	Log Set Coal Set Rock Set	Yes	68.3%	14,160

Certified to ANSI Z21.88a-2012/ CSA 2.33a-2012 Vented Gas Fireplace Heater American National Standard  
CGA - 2.17-91 Gas Fired Appliances for use at High Altitudes

\*\* EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-09 test method

### ABOUT OUR EFFICIENCY RATINGS

At Valor we use recognized Canadian and US government test methods for determining energy efficiency performance. This ensures our products will perform in your home as rated. Beware of misleading "steady state" efficiency claims made by manufacturers using their own "in-house" test methods. For more information visit our website at [valorfireplaces.com](http://valorfireplaces.com)



Designed and manufactured by:



Copyright Miles Industries Ltd. 2014

Proudly made in North America

April 2014 - PORT14E

Printed on recycled paper



## Windsor Arch™

Symbolizing timeless elegance, the Windsor Arch is the pinnacle of traditional design. Favored among top interior designers and distinguished architects alike, the Windsor Arch's hand-crafted, detailed design is sure to stand the test of time.



539AFP Windsor Arch Front

>Design Objective: Capture and accurately portray the Victorian Era, collaborating traditional design and energy efficient heating technology.

>Outcome: A distinct front that stylizes your living space, and with the help of a truly realistic and radiant flame, becomes a focal point in any room configuration.

Valor PORTRAIT SERIES™

Efficient, Versatile Gas Fireplaces

Valor PORTRAIT SERIES™

Efficient, Versatile Gas Fireplaces

Contemporary

Design

Heater Rated

Log/Coal/Rock

Full

Control

Energy

Efficient

Modern

Appeal

Diverse

Zone Heat

Diverse

Unique

Quality

Smart

Steady

Even

Heat

Traditional

Radiant

Distinct


**Valor**  
THE ORIGINAL  
RADIANT GAS FIREPLACE™  
www.valorfireplaces.com

Valor THE WISE WAY TO HEAT

April 2014 - PORT14E

Your Authorized Valor Dealer:

**Valor**  
THE ORIGINAL  
RADIANT GAS FIREPLACE™  
www.valorfireplaces.com





539AFP Windsor Arch Front with a Fires of Tradition Niagara Mantel



539AFB Windsor Arch Front with a Fires of Tradition Riversdale Mantel



539AFP Windsor Arch Front with a Fires of Tradition Riversdale Mantel



539AFP Windsor Arch Front with a Fires of Tradition Perth Cast Mantel



539AFP Windsor Arch Front with a Fires of Tradition Barrington Mantel



### SMART CONTROL SYSTEM - STANDARD EQUIPMENT

The all new **ValorStat Plus Remote Control** gives you the power to select, adjust and program the desired temperature that you want. The **built-in timer** turns your fireplace **ON** to warm your home before you wake up and can be programmed to turn **OFF** after you go to bed.

The **ValorStat Plus** also has the ability to turn your **pilot light ON and OFF** from the programmable remote control. You'll never have to get on your hands and knees to light the pilot again!



### ZONE HEATING

Central furnaces burn a lot of gas in efforts to heat your entire home. By heating with a Valor, you can **efficiently heat individual living spaces** that you spend the most time in. Further, your duct system can lose up to 30% of the heat through leaks and inefficient design.

A Valor has no ducts and delivers a blend of **radiant and convected heat** into the zone you spend most of your time. **Zone Heating** is a proven way to cut fuel consumption. **Turn down your gas guzzler and turn on a Valor!**



### STEADY, EVEN RADIANT HEAT

Valor fireplaces are known for producing radiant heat - we do it by design. Radiant heat **satisfies human comfort** using up to **25% less energy** than warm air systems. Radiant heat replaces the chill lost to cold windows and walls and is what attracts humans to fire. Our radiant fires are another reason a Valor can **reduce your energy bill and increase your overall comfort.**



### NO POWER, NO PROBLEM

If the power fails in the winter your home can get cold fast. Valor fireplaces are **fully functional heaters** that **don't use electricity.** Our fireplaces provide the perfect mixture of **radiant and convective heat** eliminating the need for a noisy, inefficient fan.



### BURN CLEAN, ENGINEERED GREEN

Natural gas is the **cleanest fireplace fuel** you can burn with the lowest particulate levels and lowest levels of greenhouse gases. Valor specializes in producing **energy efficient, heater-rated natural gas fireplaces** designed to **consume less fuel** than the average gas fireplace.

PORTRAIT SERIES SPECIAL FEATURES



Displayed with a Fires of Tradition Octavia Mantel

541BPC Bolero Front with Log Set and Red Brick Liner



Bolero displayed with Solus Concrete Decor

# bolero

Bolero Framing Plate Dimensions - H: 31-1/4" W: 26"

Bolero Front Dimensions - H: 29" W: 23-1/4"

>**Feel The Heat:** Designed to fit the most contemporary spaces, the Bolero offers a unique look to stand the test of time. The Bolero's quality casting is polished to a smooth finish, then plated for a stunningly beautiful surface.



>Fires of Tradition specializes in producing custom mantels and hearths specifically for Valor gas and electric fireplace products. Using high-end product materials including wood, granite, marble and Jurastone, Fires of Tradition provides quality products that we are proud to showcase and associate with Valor. For more information on Fires of Tradition please visit [www.firesoftradition.com](http://www.firesoftradition.com).

536CXB President ZC Front with Log Set and Red Brick Liner - Shown with a FOT Riversdale Mantel



531CSB President Freestanding Stove with Log Set and Red Brick

# PRESIDENT

President Framing Plate Dimensions - H: 31-1/4" W: 26"

President Front Dimensions - H: 27-7/8" W: 21-3/4"

President Freestanding Dimensions - H: 28" W: 24-1/2"

>**Quality Casting:** The ever popular Valor President continues to top the public opinion polls based on customer demand. Shown seamlessly set in a Riversdale mantel suite with shaped black granite backing and hearth, the President also lends itself to any number of installation and finishing options. The President is also available in a stove format which you can place freestanding or even against an exterior wall with no visible inside venting.

# SENATOR

Senator Framing Plate Dimensions - H: 31-1/4" W: 26"  
Senator Front Dimensions - H: 27-1/2" W: 26-1/8"

>**Compact & Stylish:** Highlighting the fine art of quality cast iron design and finishing, the Senator has a confident presence that fits just as comfortably in well appointed surrounds as it does in simple settings.

563SCB Senator Front with Coal Set and Red Brick Liner

# CLASSIC ARCH

Classic Arch Dimensions - H: 38" W: 39"

>**Product Evolution:** Evolved from the show-stopping Windsor Arch family, the Classic Arch displays contemporary lines accompanied by quality cast iron housing. Chrome curvatures define fire bed presence while reflecting flame movement from within.

550CAP Classic Arch Front with Coal Set and Black Fluted Liner

Displayed with Solus Handcast Concrete Decor - learn more at [www.solusdecor.com](http://www.solusdecor.com)

**solus**  
HANDCAST CONCRETE  
DECOR

# LEDGE

Ledge Front Dimensions - H: 30" W: 27-3/8"  
Ledge Finishing Plate - 36-1/2" W: 31-1/8" (Optional)



SFFK01 Freestyle ZC Framing Kit, SF14BL Cast Frame - Black finish, SFRET2 Traditional Fender Fret, SFFT01 4-Sided Trim Kit in Nickel Paint finish - Shown with Rock Effect, 567FGP Firebox Roof Grille Panel and Black Fluted Brick



**THE LEDGE** - Balancing seamless design with crisp profiles, the Ledge features a beautiful collection of three complementary finishes. Available in black, brushed nickel and artisan patina, the Ledge is our latest addition to the highly successful Portrait Series gas fireplace family.

For more information on the Ledge Front Collection ask your Valor dealer for the Portrait Series Ledge Front brochure, or visit [www.valorfireplaces.com](http://www.valorfireplaces.com).

569LFP Ledge Patina Front & 570FPB Ledge Finishing Plate in Black - Shown with Rock Effect, 567FGP Firebox Roof Grille Panel and Black Fluted Brick



# FREESTYLE

Freestyle Framing Kit Dimensions - H: 34-1/4" W: 26"

**The name says it all.** The Freestyle is designed to fit freely in any room layout matching any style. A clean 'no-hearth' design concept and minimal engine depth requirements provide a wide range of installation opportunities. Drywall or tile right up to the Freestyle for a clean, contemporary finish.